



PU Baffl



PU Mute Blocke



PU Wire Wheel



PU Road Roller Scraper



PU Snow Scraper




PU Sandwich Brick Board



PU Steel Cable Sheath



PU Wear-resistant Plate



PU Accessories



Overflow-proof Skirt Plate




Polyurethane Scraper




PU Scraper

Stringer Bar Capping



S-TEC supply capping to fit 10mm, 12mm, 15mm, 16mm & 18mm wide stringer rails.

A popular choice in the mining and quarrying industries, capping rubber/PU is used on vibrating screens to cover stringer bars, which protect the screen cloth from wear and tear. As protective buffers, they reduce and prevent damage to the cloth and deck frames, our profiles are particularly suited to this application, thanks to their durable physical properties.




Other Capping Rubber types & specifications also available upon request
You can also choose polyurethane material with better wear resistance



Our Conveyor Belt Cleats can be designed and manufactured for horizontal, vertical and steep-incline handling of bulk materials.

Conveyor Belt Cleats can be tailored to suit your requirements, including designing a profile to suit the specific material being processed or the slope of the conveyor.

Conveyor Belt T-Cleat is made from a premium rubber compound and will display excellent resistance to abrasion and impact.



Type	Tt50	Ts70	Ts110	Tz110	Tz140	Tz180	Tz220
H (mm)	50	70	110	110	140	180	220
B (mm)	70	80	110	105	150	160	140
S (mm)	8	10	12	20	15	20	20



Contact the S-TEC team and allow us to help you find the Conveyor Belt Cleats that best suits your application and needs.